

### **ACTON BOARD OF HEALTH**

Douglas Halley Health Director 472 Main Street Acton, MA 01720 Telephone 978-264-9634 Fax 978-264-9630

October 5, 2009

Gulf Express 289 Main Street Acton, MA 01720

To Hazardous Materials Applicant:

The Acton Health Department is in receipt of your 2009 Hazardous Materials Renewal Application plus a copy of a check, dated 7/12/09, made payable to the Town of Acton in the amount of \$370. Unfortunately, the copy of the check is not sufficient in proving payment has been made. Please provide documentation that supports your claim that payment was made to the Health Department for the 2009 Hazardous Materials Control permit by October 9, 2009. Failure to do so will result in an additional fine being levied in the amount of \$300.00 as outlined in the Hazardous Materials Control Bylaw, Chapter I-16.7 Penalty as allowed under MGL Chapter 40, Section 21.

Sincerely,

Isabel Roberts
Health Department



## **ACTON BOARD OF HEALTH**

Douglas Halley Health Director 472 Main Street Acton, MA 01720 Telephone 978-264-9634 Fax 978-264-9630

August 11, 2009

Gulf Express 289 Main St Acton, MA 01720

Re:

2009 Fee for Hazardous Materials Control Permit

Attached please find an invoice that was sent to your facility in April and again in July regarding the renewal of your Hazardous Materials Control Permit. As of this writing, we have not received the application or fee associated with this renewal for 2009 and a fine has been levied in the amount of \$300.00 as outlined in the Hazardous Materials Control Bylaw, Chapter I - 16.7 Penalty as allowed under MGL Chapter 40, Section 21. Please submit application fees plus \$300 fine by August 19, 2009.

If you should have any questions please contact the Health Department at 978-264-9634.

Sincerely,

Isabel Roberts
Health Department

	Parifference Constitution & Automotive Constitution of the Constit	
		108
		DATE 7 12 2009 5-7515/110
PAY TO THE Town of	Acton	\$ 370.00
three hundred	Seventy	dallare Only-00/100 DOLLARS 1 ==
Three hundred Sovereign Bank		
FOR		Slassh 11
#*000108#* ***01	10751500 10	00 206 1 26 761





## **ACTON BOARD OF HEALTH** APPLICATION for INITIAL HAZARDOUS MATERIALS PERMIT

Legal Name of Facility or Establishment:	lainstreet Express	
Site Address: 289 Main Sta	eet, Acton, MA 01720	····
Mailing Address:		
Business Telephone 978 264	<del>1742</del>	••
Corporate Officers: 1.1)Ave 5.	13HAVSACC	
Emergency Contact Person: T. DAVE		
Emergency Telephone (Day): 501. 4.57. 4.57	Emergency Telephone (Night): 978 989 0072	١٥٢
Type of Business: Mas Status,	Convenience 8 tore	976 692 125
		(10 01= 1 1
*Aquifer Location:	*Watershed District:	
☐ Well protection [1]	☐ Fort Pond	
☐ Recharge protection [2]	□ Nashoba Brook	
☐ Aquifer protection [3]		
□ Watershed protection [4]	*Maps available at Acton Health Department.	
[·]	supplies and an interest to the supplies and the supplies are supplies and the supplies and the supplies are supplies and the supplies and the supplies are supplies are supplies are supplies and the supplies are supplies are supplies are supplies are supplies and the supplies are suppl	
Type(s) of Permits Needed:		
Remedial action following a discharge	e: [# 5 (discharge), # 6 (remediation)]	
Small or large scale generator (or > 10	00 kg/220 lbs/25 gal/mo: material or waste):	
[generator: #3 (mat.); #1 (waste)	(lrg.), # 2 (waste) (sm.)] [user: # 4 (mat.), # 7 (waste)]	
✓ Storage (> 25 gal or lb) > 24 hrs: [# 8,		
Storage, use, generation of extremely		
Storage of hazardous material or wast		
	sterial (> 50 gal or lb): [# 10 (lrg.), # 11 (sm.)]	
UST storage of flammable or combust	tible materials	
Change in material stored		
Removal of underground tank		
Kemovai of underground tank		
Requirements: (Please ensure to include all requ	sivad matarial before submission to Actor P.O. I.	
Complete Non-Waste and Waste Infor		
<del></del> -	·	
M.S.D.S. for all chemicals listed on ap	•	
Emergency or contingency plan for an	•	
	here are chemicals are stored (including tanks and piping	
<u> </u>	nique slopes, arrow indicating north, and location of safet	У
equipment. ( see section C)		
	documents) showing proper disposal measures of all	
chemicals listed.		
Evidence of date(s) of purchase for all	<del>-</del> -	
Copies of all relevant documentation (	permits and citations)	
Certifying Endorsement		
•		
	+ . 11011) = =1 :	
Transfer OT Perch	nit; New ownership	

A. Hazardous Material (Non-Waste) Inventory Information
Complete the table below for all non-waste inventory. Use additional pages if necessifications.

Complete the table below for all non-waste inventory. Use additional pages if necessary.				
Chemical/Common Name	Max. Qty (at any one time)	Container Size (single largest container)	Location(s) (see section C)	
Petroleum (unleaded, L diesel)	gal. 28000 lbs. cu ft.	gal. lbs. ft.		
Windshiel Washer Liquid	15 gal. lbs. cu ft.	gal. lbs. cu ft.		
Motor oils	gal. lbs. cu ft.	gal lbs cu ft.		
Cleaning liquid	gal lbs cu ft.	gal. lbs. cu ft.		
	gallbscu ft.	gal. lbs. cu ft.		
	gal. lbs. cu ft.	gal. lbs. cu ft.		

## B. Hazardous Waste Inventory Information

(Hazardous Waste Generator Permit Application/Amendment)
Complete the table below for all waste inventory. Use additional pages if needed.

Name of Hazardous Waste	Waste inventory. Use additional pag		A	T
Name of Hazardous waste	Treatment/Disposal Method(s)	Max. Qty.	Annual Qty.	Location(s
	(Definitions provided on bottom of page)	(at any one time)	Generated	(see
				Section C
	Recycled on-site.	gal.	gal.	
	Treated on-site.	lbs.	lbs.	
	Shipped off-site for	cu. ft.	cu ft.	
	recycling/ treatment /disposal			
	Recycled on-site.	gal.	gal.	
	Treated on-site.	lbs.	lbs.	
	Shipped off-site for	cu	cu	
	recycling/treatment/disposal	ft.	ft.	
	, , , , , , , , , , , , , , , , , , , ,			
	Recycled on-site.	gal.	gal.	
	Treated on-site.	lbs.	lbs.	
	Shipped off-site for	cu	cu	
	recycling/treatment/disposal	ft.	ft.	
	Recycled on-site.	gal.	gal.	
	Treated on-site.	lbs.	lbs.	
	Shipped off-site for			
		cu	<u></u> cu	
	recycling/treatment/disposal	11.	11.	
	Recycled on-site.	gal.	gal.	
	Treated on-site.	lbs.	lbs.	
	Shipped off-site for	cu	cu	
	recycling/treatment/disposal	ft.	ft.	


### C. Facility Site Plan/Storage Map

Prepare and submit with this Registration Form a simple site map which shows the following information:

• North direction • Street(s) adjacent to facility • Electrical, water, and gas shutoff valves

• Basic floor plan for each building containing hazardous materials/wastes which indicates building entrance(s) and hazardous material/waste storage locations (use grid locations or assign a code - A, B, C, etc. - to clearly identify each storage location for use in the above inventories).

Site Address:	City:
Date Map Drawn:	



#### D. Endorsement

I declare that the above information is true and correct to the best of my knowledge. I agree to comply with all applicable regulations regarding storage, handling, and disposal of hazardous materials and hazardous wastes.

Owner/Operator's Name (Print)	Owner/Operator's Signature	Date
Do Not	Complete below This Line	

## TOWN OF ACTON HAZARDOUS MATERIALS CONTROL BYLAW

**Due** \$370

Main Street Express 289 Main Street Acton, MA 01720 **Category** 2, 4, 8, 12

Site Address 289Main Street

HAZARDOUS	MATERIALS	CONTROL	PERMIT	RENEWAL	APPLICAT	ION
		Catego	ries			

	Categories
1. Hazardous Waste Generator (	\$65) 2. Sm.Hazardous Waste Generator (\$45)
3. Hazardous Materials Generato	or (\$65) 4. Hazardous Materials User (\$45)
5. Discharge Permit (\$140)	6. Remediation Permit (\$140)
7. Hazardous Waste User (\$65)	
9. Haz. Mat. Storer Small Indust	
11. Haz. Mat. Storer Small Retail	
13. Haz. Waste Storer Retail(\$4	5) 14. Haz Waste Storer Lge. Industry(\$65)
	er the authority of the General Laws of the Commonwealth r 94, Section 305A, and Chapter 3, Section 5.
ESTABLISHMENT NAME:	Main St Express
ESTABLISHMENT ADDRESS:	289 Main St Action mA 01720
ESTABLISHMENT TELEPHONE:	978-264-4772
OWNERS/CORPORATE OFFICERS:	
ADDRESS:	117 Central St'Adon MA 01720.
TELEPHONE:	609 9682456

Maximum Potential Quantity of Materials: Gals/Lbs Stored 10,000 Used 10,000 Us

Pursuant to the General Laws of Massachusetts, Chapter 62C, Section 49A, I certify under the pains and penalties of perjury that I, to the best of my knowledge and belief, have filed all state tax returns and paid all state taxes required under law.

Signature of Owner/Applicant

562 601 790 -S.S.I or F.I.N. Number

Date

12/1/2009

Expires 5/1/10 Paid: \$225

# TOWN OF ACTON PERMIT HAZARDOUS MATERIALS CONTROL BYLAW

Main Street Express, 289 Main Street, Acton, MA 01720

Is hereby granted a permit to store and use Hazardous Materials at **289 Main Street** Acton, MA 01720. This permit is granted with the conditions as noted on the attached list of conditions assigned to your facility.

Permit Categories:

4, 8

### HAZARDOUS MATERIALS CONTROL PERMIT CATEGORIES AND FEES

<u>Category</u>	<u>Initial</u>	Renewal
Large Hazardous Waste Generator	\$130	\$55
2. Small Hazardous Waste Generator	\$50	\$35
3. Hazardous Materials Generator	\$130	<b>\$</b> 55
4. Hazardous Materials User	<b>\$</b> 50	\$35
5. Remediation Discharge Permit	\$505	\$115
6. Remediation Permit	\$505	\$115
7. Hazardous Waste User	\$130	<b>\$</b> 55
8. Hazardous Materials Storer Large Industry	\$430	<b>\$195</b>
Hazardous Materials Storer Small Industry	\$315	\$130
Hazardous Materials Storer Small Industry     Hazardous Materials Storer Large Retail	\$375	\$140
11. Hazardous Materials Storer Small Retail	\$270	\$115
12. Hazardous Waste Storer Large Industry	\$130	\$55
13. Hazardous Waste Storer Small Industry	\$50	\$35
14. Hazardous Waste Storer Retail	\$50	\$35

<sup>\*</sup>See below explanation of permit categories

### HAZARDOUS MATERIALS CONTROL PERMIT LIST OF CONDITIONS: MAIN ST EXPRESS 289 MAIN STREET ACTON, MA 01720

Pursuant to the authority of Chapter I - Hazardous Materials Control Bylaw - of the Town of Acton's General Bylaws, the Board of Health has considered your application and plans submitted therewith, and has determined that the materials to be stored, used or generated, are within the scope of said bylaw. The Board of Health hereby orders that the following conditions are necessary and all storage, use or generation must be performed in strict conformance herewith:

- 1. All liquid Hazardous Materials and Wastes shall be stored in a containment area capable of containing 110% of the largest volume stored in the containment area.
- 2. All Materials Safety Data Sheets (MSDSs) for the Hazardous Materials shall be maintained on site. MSDSs shall be reviewed with employees at the time of their employment and on an annual basis thereafter. MSDS must be made available to all employees upon request.
- 3. A Contingency Plan, including emergency contact numbers (Telephone numbers of owner, operator, etc.) and a sketch showing clearly all Hazardous Material and Waste locations shall be submitted and updated annually, to the Board of Health, Fire Department, Police Department, and Civil Defense.
- 4. Emergency procedures and local Emergency Response Telephone Numbers (Health, Fire, Police, D.E.P., Civil Defense, etc.) should a spill occur, shall be posted in clear view of all employees where Hazardous Materials or Wastes are used or stored.
- All Hazardous Wastes must be disposed of by a Licensed, D.E.P. approved, hauler or be recycled on site.
- 6. Copies of either all invoices or manifests for any Hazardous Materials or Wastes, received or disposed, shall be submitted to the Board of Health annually.
- 7. All Hazardous Materials Containers shall be labeled and dated when filling first began.
- 8. Speedy Dry, or its equivalent, shall be kept in the storage area, in case of a Hazardous Materials or Wastes spill.
- 10. All floor drains shall be sealed or discharged into a closed system, with the waste disposed of by a D.E.P. approved Hazardous Waste Hauler.
- 11. Protective equipment, including chemical resistant gloves, eye goggles and (rubber) boots, in addition to soap and water, shall be made available to all employees, at all times, in any Hazardous Materials or Waste storage or use area.
- 12. No Hazardous Materials or Wastes shall be discharged into a sink or toilet.
- 14. A fire extinguisher, containing an appropriate fire extinguishing agent, shall be placed in the Hazardous Materials Storage area.
- 15. No food or drink shall be stored or consumed in any area where Hazardous Materials are stored or used.

- 16. Within thirty (30) days after issuance of this permit and prior to the next pumping of the septic tank, a sample shall be taken from the liquid layer of the septic tank and analyzed for volatile organic compounds by EPA Method 624. A sample shall be taken each time prior to pumping the septic tank. Each sample shall be analyzed by a DEP certified testing lab. The results of all tests shall be submitted to the Board of Health within thirty (30) days after testing. The septic tank shall be tested annually unless otherwise requested by the Board of Health.
- Gas cylinders shall not be rolled, even for short distances. They shall be moved by a suitable hand truck, in accordance with an OSHA standard that applies.
- 24. Visual monitoring of all spill containment vaults and tanks shall be made every six months with a log of the inspections kept on site and a report given to the Board of Health if any spill containment vaults or tanks have received any Hazardous Material spills since the last inspection.
- 25. Prior to any new chemical or processes being used, the Board of Health shall be notified.
- 26. The operation of this facility shall be in compliance with all present and future regulations of E.P.A. and D.E.P. at all times. Nothing in this permit allows or requires non-compliance with all present and future applicable laws or regulations of the Federal or State Governments.
- All underground storage tanks shall be tested for tightness on an annual basis with a report submitted to the Board of Health within thirty (30) days after testing.

5/1/2009

Expires 5/1/10 Paid: \$370

# TOWN OF ACTON PERMIT HAZARDOUS MATERIALS CONTROL BYLAW

Main Street Express, 289 Main Street, Acton, MA 01720

Is hereby granted a permit to store and use Hazardous Materials at **289 Main Street** Acton, MA 01720. This permit is granted with the conditions as noted on the attached list of conditions assigned to your facility.

Permit Categories: 2, 4, 8, 12

\*See below explanation of permit categories

### HAZARDOUS MATERIALS CONTROL PERMIT CATEGORIES AND FEES

<u>Category</u>	Initial	Renewal
1. Large Hazardous Waste Generator	\$130	\$55
2. Small Hazardous Waste Generator	\$50	\$35
3. Hazardous Materials Generator	\$130	\$55
4. Hazardous Materials User	\$50	\$35
5. Remediation Discharge Permit	\$505	<b>\$</b> 115
6. Remediation Permit	<b>\$</b> 505	<b>\$</b> 115
7. Hazardous Waste User	\$130	<b>\$</b> 55
8. Hazardous Materials Storer Large Industry	\$430	\$195
9. Hazardous Materials Storer Small Industry 10. Hazardous Materials Storer Large Retail	\$315	\$130
10. Hazardous Materials Storer Large Retail	\$375	\$140
11. Hazardous Materials Storer Small Retail	\$270	\$115
12. Hazardous Waste Storer Large Industry	\$130	\$55
13. Hazardous Waste Storer Small Industry	\$50	\$35
14. Hazardous Waste Storer Retail	\$50	\$35

#### HAZARDOUS MATERIALS CONTROL PERMIT LIST OF CONDITIONS: MAIN ST EXPRESS 289 MAIN STREET ACTON, MA 01720

Pursuant to the authority of Chapter I - Hazardous Materials Control Bylaw - of the Town of Acton's General Bylaws, the Board of Health has considered your application and plans submitted therewith, and has determined that the materials to be stored, used or generated, are within the scope of said bylaw. The Board of Health hereby orders that the following conditions are necessary and all storage, use or generation must be performed in strict conformance herewith:

- 1. All liquid Hazardous Materials and Wastes shall be stored in a containment area capable of containing 110% of the largest volume stored in the containment area.
- 2. All Materials Safety Data Sheets (MSDSs) for the Hazardous Materials shall be maintained on site. MSDSs shall be reviewed with employees at the time of their employment and on an annual basis thereafter. MSDS must be made available to all employees upon request.
- 3. A Contingency Plan, including emergency contact numbers (Telephone numbers of owner, operator, etc.) and a sketch showing clearly all Hazardous Material and Waste locations shall be submitted and updated annually, to the Board of Health, Fire Department, Police Department, and Civil Defense.
- 4. Emergency procedures and local Emergency Response Telephone Numbers (Health, Fire, Police, D.E.P., Civil Defense, etc.) should a spill occur, shall be posted in clear view of all employees where Hazardous Materials or Wastes are used or stored.
- All Hazardous Wastes must be disposed of by a Licensed, D.E.P. approved, hauler or be recycled on site.
- 6. Copies of either all invoices or manifests for any Hazardous Materials or Wastes, received or disposed, shall be submitted to the Board of Health annually.
- 7. All Hazardous Materials Containers shall be labeled and dated when filling first began.
- 8. Speedy Dry, or its equivalent, shall be kept in the storage area, in case of a Hazardous Materials or Wastes spill.
- 10. All floor drains shall be sealed or discharged into a closed system, with the waste disposed of by a D.E.P. approved Hazardous Waste Hauler.
- 11. Protective equipment, including chemical resistant gloves, eye goggles and (rubber) boots, in addition to soap and water, shall be made available to all employees, at all times, in any Hazardous Materials or Waste storage or use area.
- 12. No Hazardous Materials or Wastes shall be discharged into a sink or toilet.
- 14. A fire extinguisher, containing an appropriate fire extinguishing agent, shall be placed in the Hazardous Materials Storage area.
- 15. No food or drink shall be stored or consumed in any area where Hazardous Materials are stored or used.

- 16. Within thirty (30) days after issuance of this permit and prior to the next pumping of the septic tank, a sample shall be taken from the liquid layer of the septic tank and analyzed for volatile organic compounds by EPA Method 624. A sample shall be taken each time prior to pumping the septic tank. Each sample shall be analyzed by a DEP certified testing lab. The results of all tests shall be submitted to the Board of Health within thirty (30) days after testing. The septic tank shall be tested annually unless otherwise requested by the Board of Health.
- Gas cylinders shall not be rolled, even for short distances. They shall be moved by a suitable hand truck, in accordance with an OSHA standard that applies.
- 24. Visual monitoring of all spill containment vaults and tanks shall be made every six months with a log of the inspections kept on site and a report given to the Board of Health if any spill containment vaults or tanks have received any Hazardous Material spills since the last inspection.
- 25. Prior to any new chemical or processes being used, the Board of Health shall be notified.
- 26. The operation of this facility shall be in compliance with all present and future regulations of E.P.A. and D.E.P. at all times. Nothing in this permit allows or requires non-compliance with all present and future applicable laws or regulations of the Federal or State Governments.
- All underground storage tanks shall be tested for tightness on an annual basis with a report submitted to the Board of Health within thirty (30) days after testing.